Modern Builders Supply, Inc.
— Since 1944 —



10830 State Route 185, Bradford, OH 45308

Prepared for you by Modern Builders Supply


Precise Aerial Measurement Report

Modern Builders Supply, Inc
45 Karago Ave
Youngstown, OH 44513

Modern Builders Supply Customer Service
tel.800-453-0349
email:info@modernbuilderssupply.com
http://store.modernbuilderssupply.com/

Premium Report
4/3/2026

10830 State Route 185, Bradford, OH 45308 Report: 70266637



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Building: Primary + ob beside main

PREPARED FOR

Contact:	Matt Keplinger
Company:	Modern Builders Supply
Address:	2627 Stanley Avenue Dayton, OH 45404
Phone:	937-222-2627

TABLE OF CONTENTS

Images 1
Length Diagram 4
Pitch Diagram 5
Area Diagram 6
Notes Diagram 7
Report Summary 10

MEASUREMENTS

Total Roof Area =2,846 sq ft
Total Roof Facets =13
Predominant Pitch =5/12
Number of Stories >1
Total Ridges/Hips =149 ft
Total Valleys =36 ft
Total Rakes =144 ft
Total Eaves =265 ft
Estimated Attic=2,551 sq ft

Measurements provided by www.eagleview.com

Certified Accurate

www.eagleview.com/Guarantee.aspx

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

IMAGES

The following aerial images show different angles of this structure for your reference.

Top View



© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

IMAGES

North Side



South Side



© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

IMAGES

East Side



West Side



© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


10830 State Route 185, Bradford, OH 45308 Report: 70266637

LENGTH DIAGRAM

Total Line Lengths:
Ridges = 75 ft
Hips = 74 ft

Valleys = 36 ft
Rakes = 144 ft
Eaves = 265 ft

Flashing = 66 ft
Step flashing = 32 ft
Parapets = 0 ft



©2026 Eagle View Technologies, Inc., All Rights Reserved.


Note: This diagram contains segment lengths (rounded to the nearest whole number) over 5.0 Feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

PITCH DIAGRAM

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 5/12



©2026 Eagle View Technologies, Inc., All Rights Reserved.


Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

AREA DIAGRAM

Total Area = 2,846 sq ft, with 13 facets.



©2026 Eagle View Technologies, Inc., All Rights Reserved.


Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

NOTES DIAGRAM

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



©2026 Eagle View Technologies, Inc., All Rights Reserved.

Note: This diagram also appears in the Property Owner Report.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

REPORT SUMMARY

Structure #1

Areas per Pitch			
Roof Pitches	3/12	5/12	8/12
Area (sq ft)	668	750.5	694.7
% of Roof	31.6%	35.5%	32.9%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex


Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	**0%**	1%	6%	9%	**11%**	13%	16%	21%	26%
Area (Sq ft)	**2114**	2136	2241	2305	**2347**	2389	2453	2558	2664
Squares *	**21.33**	21.66	22.66	23.33	**23.66**	24.00	24.66	25.66	26.66
	Measured				**Suggested**				

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 9
Total Penetrations =0

Lengths, Areas and Pitches
Ridges = 72 ft (3 Ridges)
Hips = 0 ft (0 Hips).
Valleys = 36 ft (2 Valleys)
Rakes† = 143 ft (15 Rakes)
Eaves/Starter‡ = 164 ft (10 Eaves)
Drip Edge (Eaves + Rakes) = 307 ft (25 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 65 ft (5 Lengths)
Step flashing = 32 ft (4 Lengths)
Predominant Pitch = 5/12
Total Area (All Pitches) = 2113 sq ft

Property Location
Longitude = -84.4094855
Latitude = 40.1599908

Notes
This was ordered as a residential property. There were no changes to the structure in the past four years.

† Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

REPORT SUMMARY

Structure #2

Areas per Pitch	
Roof Pitches	7/12
Area (sq ft)	731.7
% of Roof	100%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex


Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	**0%**	13%	18%	23%	26%	**28%**	30%	33%	38%
Area (Sq ft)	**732**	828	864	901	923	**937**	952	974	1011
Squares *	**7.33**	8.33	8.66	9.33	9.33	**9.66**	9.66	10.00	10.33
	Measured					**Suggested**			

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 4
Total Penetrations =0

Lengths, Areas and Pitches
Ridges = 2 ft (1 Ridges)
Hips = 74 ft (4 Hips).
Valleys = 0 ft (0 Valleys)
Rakes† = 0 ft (0 Rakes)
Eaves/Starter‡ = 101 ft (4 Eaves)
Drip Edge (Eaves + Rakes) = 101 ft (4 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 0 ft (0 Lengths)
Step flashing = 0 ft (0 Lengths)
Predominant Pitch = 7/12
Total Area (All Pitches) = 732 sq ft

Property Location
Longitude = -84.4094855
Latitude = 40.1599908

Notes
This was ordered as a residential property. There were no changes to the structure in the past four years.

† Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


REPORT SUMMARY

All Structures

Areas per Pitch				
Roof Pitches	3/12	5/12	7/12	8/12
Area (sq ft)	668.0	750.5	731.8	694.7
% of Roof	23.5%	26.4%	25.7%	24.4%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

All Structures Totals



Total Roof Facets = 13

Lengths, Areas and Pitches

Ridges = 75 ft (4 Ridges)
Hips = 74 ft (4 Hips).
Valleys = 36 ft (2 Valleys)
Rakes† = 144 ft (15 Rakes)
Eaves/Starter‡ = 265 ft (14 Eaves)
Drip Edge (Eaves + Rakes) = 409 ft (29 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 66 ft (5 Lengths)
Step flashing = 32 ft (4 Lengths)
Predominant Pitch = 5/12
Total Area (All Pitches) = 2,846 sq ft

Property Location

Longitude = -84.4094855
Latitude = 40.1599908

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

Measurements by Structure									
Structure	**Area (sq ft)**	**Ridges (ft)**	**Hips (ft)**	**Valleys (ft)**	**Rakes (ft)**	**Eaves (ft)**	**Flashing (ft)**	**Step Flashing (ft)**	**Parapets (ft)**
1	2113	72	0	36	143	164	65	32	0
2	732	2	74	0	0	101	0	0	0

All values in this table are rounded up to the nearest Foot for each separate structure. Measurement totals displayed elsewhere in this report are added together before rounding which may cause totals to differ.

Online Maps

Online map of property
http://maps.google.com/maps?f=g&source=s_q&hl=en&geocode=&q=10830+State+Route+185,Bradford,OH,45308
Directions from Modern Builders Supply to this property
http://maps.google.com/maps?f=d&source=s_d&saddr=2627+Stanley+Avenue,Dayton,OH,45404&daddr=10830+State+Route+185,Bradford,OH,45308

† Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

10830 State Route 185, Bradford, OH 45308 Report: 70266637

IMPORTANT LEGAL NOTICE AND DISCLAIMER

Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.

EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.

© 2008-2026 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.