Modern Builders Supply, Inc.
— Since 1944 —



6097 Johnstown Utica Rd, Johnstown, OH 43031

Prepared for you by Modern Builders Supply

Modern Builders Supply, Inc
45 Karago Ave
Youngstown, OH 44513


Modern Builders Supply Customer Service
tel.800-453-0349
email:info@modernbuilderssupply.com
http://store.modernbuilderssupply.com/

Measurements provided by eagleview™

Precise Aerial Measurement Report

Premium Report
8/2/2024

6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Building: 1

PREPARED FOR

Contact:	Matt Keplinger
Company:	Modern Builders Supply
Address:	2627 Stanley Avenue Dayton, OH 45404
Phone:	937-222-2627

TABLE OF CONTENTS

Images 1
Length Diagram 4
Pitch Diagram 5
Area Diagram 6
Notes Diagram 7
Penetrations Diagram 8
Report Summary 9

MEASUREMENTS

Total Roof Area =48,347 sq ft
Total Roof Facets =8
Predominant Pitch =0/12
Number of Stories >1
Total Ridges/Hips =0 ft
Total Valleys =0 ft
Total Rakes =23 ft
Total Eaves =93 ft
Total Penetrations =98
Total Penetrations Perimeter = 1,022 ft
Total Penetrations Area = 907 sq ft

Measurements provided by www.eagleview.com

Certified Accurate

www.eagleview.com/Guarantee.aspx


© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675

IMAGES

The following aerial images show different angles of this structure for your reference.

Top View



© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

IMAGES

North Side



South Side



© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

IMAGES

East Side



West Side



© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675


LENGTH DIAGRAM

Total Line Lengths:
Ridges = 0 ft
Hips = 0 ft

Valleys = 0 ft
Rakes = 23 ft
Eaves = 93 ft

Flashing = 52 ft
Step flashing = 0 ft
Parapets = 2,659 ft





© 2024 Eagle View Technologies, Inc., All Rights Reserved.


Note: This diagram contains segment lengths (rounded to the nearest whole number) over 5.0 Feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675

PITCH DIAGRAM

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 0/12



©2024 Eagle View Technologies, Inc., All Rights Reserved.




Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater. Gray shading indicates flat, 1/12 or 2/12 pitches. If present, a value of "F" indicates a flat facet (no pitch).

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675

AREA DIAGRAM

Total Area = 48,347 sq ft, with 8 facets.



© 2024 Eagle View Technologies, Inc., All Rights Reserved.




Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).


© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

NOTES DIAGRAM

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



© 2024 Eagle View Technologies, Inc., All Rights Reserved.



Note: This diagram also appears in the Property Owner Report.


© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

PENETRATIONS NOTES DIAGRAM

Penetrations are labeled from smallest to largest for easy reference.

Total Penetrations = 98
Total Penetrations Perimeter = 1,022 ft

Total Penetrations Area = 907 sq ft
Total Roof Area Less Penetrations = 47,440 sq ft



© 2024 Eagle View Technologies, Inc.. All Rights Reserved.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

REPORT SUMMARY

All Structures

Areas per Pitch		
Roof Pitches	0/12	5/12
Area (sq ft)	48162.0	184.8
% of Roof	99.6%	0.4%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex

Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater.
For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	**0%**	4%	7%	**9%**	11%	14%	19%	24%	29%
Area (Sq ft)	**185**	193	198	**202**	206	211	221	230	239
Squares *	**2.00**	2.00	2.00	**2.33**	2.33	2.33	2.33	2.33	2.66
	Measured			**Suggested**					

* Squares are rounded up to the 1/3 of a square


Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.

Penetrations	1-3	4-28	29-31	32-38	39	40	41-44	45-51	52-55	56
Area (sq ft)	0.3	1	1.5	2.2	3	3.7	4	5	6.2	6
Perimeter (ft)	2	4	5	6	7	8	8	9	10	11
	57-68	69	70-75	76	77	78-79	80	81	82	83
Area (sq ft)	7.5	8.8	9	10.5	12.3	14	17.5	22	22.5	24
Perimeter (ft)	11	12	12	13	14	15	17	19	19	20
	84-90	91-96	97	98						
Area (sq ft)	25	27.5	30	112.4						
Perimeter (ft)	20	21	23	61						

Any measured penetration smaller than 3.0x3.0 Feet may need field verification. Accuracy is not guaranteed. The total penetration area is not subtracted from the total roof area.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

All Structures Totals



Total Roof Facets = 8
Total Penetrations =98

Lengths, Areas and Pitches
Ridges = 0 ft (0 Ridges)
Hips = 0 ft (0 Hips).
Valleys = 0 ft (0 Valleys)
Rakes† = 23 ft (2 Rakes)
Eaves/Starter‡ = 93 ft (6 Eaves)
Drip Edge (Eaves + Rakes) = 116 ft (8 Lengths)
Parapet Walls = 2,659 (50 Lengths).
Flashing = 52 ft (4 Lengths)
Step flashing = 0 ft (0 Lengths)
Total Penetrations Area = 907 sq ft
Total Roof Area Less Penetrations = 47,440 sq ft
Total Penetrations Perimeter = 1,022 ft
Predominant Pitch = 0/12
Total Area (All Pitches) = 48,347 sq ft

Property Location
Longitude = -82.6072132
Latitude = 40.1884468

Notes
This was ordered as a commercial property. There were no changes to the structure in the past four years.

Parapet Wall Area Table

Wall Height (ft)	1	2	3	4	5	6	7
Vertical Wall Area	2659	5318	7977	10636	13295	15954	18613

This table provides common parapet wall heights to aid you in calculating the total vertical area of these walls. Note that these values assume a 90 degree angle at the base of the wall. Allow for extra materials to cover cant strips and tapered edges.

Online Maps

Online map of property
http://maps.google.com/maps?f=g&source=s_q&hl=en&geocode=&q=6097+Johnstown+Utica+Rd,Johnstown,OH,43031
Directions from Modern Builders Supply to this property
http://maps.google.com/maps?f=d&source=s_d&saddr=2627+Stanley+Avenue,Dayton,OH,45404&daddr=6097+Johnstown+Utica+Rd,Johnstown,OH,43031

† Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

6097 Johnstown Utica Rd, Johnstown, OH 43031 Report: 60641675

IMPORTANT LEGAL NOTICE AND DISCLAIMER

Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.

EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.