FASTENERS & PLATES

SYSTEM ACCESSORIES


Versico offers a wide variety of fasteners and plates to enhance our roofing systems. From pre-assembled choices for VersiGard® installations to Purlin fasteners for Metal Retrofit Systems and HPVX plates for VersiWeld® options, our focus is to provide all components necessary for the application of a long-lasting, single-ply roofing system from Versico.

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING SIZE	PACKAGING # PER CTN
HPV Fastener 	Steel (22 gauge & heavier) Wood Plank Decks CDX Plywood	VersiGard Membrane, Insulation Securement, RTS	• #3 Square Drive Recess • Flat Wafer Style Head and Buttress Threads • Mini Drill Point	• 1¼", 2"– 15" (1" Increments) • *Longer Fastener Sizes Available As Special Order*	1¼" 2"– 6" 7"– 12" 13"– 15"	1000 1000 500 250
InsulTite 	Wood Decks Steel (22 gauge & heavier)	Insulation Only	• #3 Phillips Head • Deep Buttress Threads	• 1⅝", 2¼" • 3"– 8" (1" Increments)	1⅝", 2¼" 3"– 8"	1000 1000
GypTec Fastener 	Cementitious Wood Fiber Lightweight Concrete Gypsum	VersiGard, VersiFlex™ & VersiWeld Membranes, Insulation Securement	• ¼" Square Drive • Glass Filled Nylon Fastener	• 2½"– 10" (½" Increments)	2½"– 7" 7½"– 10"	500 250



GypTec Plate (not shown)
1000/ctn
2" Steel Plate for Membrane Attachment
3" Steel Plate for Insulation Attachment

Versico PO Box 1289, Carlisle, PA 17013
Tel: **800.992.7663** Fax: 717.960.4036 Web: **www.versico.com**

FASTENERS & PLATES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING SIZE	PACKAGING # PER CTN
MP 14-10 Fastener 	Structural Concrete Steel CDX Plywood Wood Plank	VersiGard, VersiFlex, VersiWeld Membranes Securement over Wood & Concrete Decks, Insulation Securement Over Steel Decks	• #3 Phillips • Truss Head	• 2"– 12" (1" Increments) • 14"– 24" (2" Increments)	2"– 4" 5"– 11" 12"– 24"	1000 500 250
HP Lite Deck Fasteners 	Cementitious Wood Fiber Lightweight Concrete Gypsum	VersiGard and VersiWeld Membranes Insulation Only	• Threaded Oversize Diameter Fastener with #3 Square Drive	• 2⅝", 3", 4" • 5"– 8" (1" Increments) • 9"– 12" (1" Increments)		500 250 125
HPVX Fastener 	Steel Wood Decks CDX Plywood	VersiGard, VersiWeld & VersiFlex Membranes	• #3 Phillips • Truss Head • Buttress Threads • Mini-Drill Point	• 2"–12" (1" Increments) • 14"– 16"	2"– 4" 5"– 12" 14"– 16"	1000 500 250
HPV-XL Fastener 	Steel Wood Decks CDX Plywood	VersiGard, VersiWeld & VersiFlex Membranes	• #3 Phillips Oversized Truss Head • Buttress Threads • Mini-Drill Point	• 2"– 8" (1" Increments)	2"– 6" 7", 8"	500 250
CD 10 Nail-In Fastener 	Concrete Decks	VersiGard, VersiFlex and VersiWeld Membranes, & Insulation Securement	• Hammer Driven • Compression Type Fastener • Diamond Point For Easy Installation	• 2"– 6" (½" Increments) • 7"– 12" (1" Increments)	2"– 8" 9"– 12"	500 250

SYSTEM ACCESSORIES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING SIZE	PACKAGING # PER CTN
Purlin Fasteners 	Structural Steel Purlin (12 gauge max.)	VersiGard, VersiFlex and VersiWeld Metal Retrofit Membrane Securement	• ¼" Hex Head • Elongated Self-Drilling Point • Use with HPVX or Insulation Fastening Plates	• 3" – 5" (1" Increments) • 6¼", 7¼"	3" – 7¼"	500
Zinc Nail-In Anchors 	Concrete Brick Block Walls	VersiGard, VersiFlex and VersiWeld Membranes & Insulation Securement	• Zinc Plated Steel Pin with a Zinc Alloy Outer Body	• 1¼" x ¼"		1000
InsulTite ASAP 	Steel Wood Decks	Insulation Only	• #3 Phillips Head • Buttress Threads • Insultite Fastener • Pre-Assembled with Plastic Insulation Plate	• 2¼", 3"– 8" (1" Increments) • 9"–14" *Available As Special Order*	2¼"– 8"	250
HPV ASAP 	Steel Wood Decks CDX Plywood	VersiGard Membrane Securement	• #3 Square Drive • Wafer Style Head • Buttress Threads • Mini Drill Point • Pre-assembled HPV Fastener with Polymer Seam Plate	• 2"–12" (1" Increments) • *Longer Fastener Sizes Available As Special Order*	2" 3" 4", 5" 6" 7", 8" 9" 10"– 12"	500 450 400 350 300 250 200
HPVX ASAP 	Steel Wood Decks CDX Plywood	VersiWeld & VersiFlex Membranes	• #3 Phillips Truss Head • Buttress Threads • Mini-Drill Point • Pre-Assembled with HPVX Plate	• 2"– 10" (1" Increments) • 12"– 16" (2" Increments)	2"– 9" 10"– 12" 14"– 16"	250 200 150

FASTENERS & PLATES

SYSTEM ACCESSORIES

PRODUCT	USED WITH	USAGE	DESCRIPTION	SIZE	PACKAGING # PER CTN
HPVX-Plate 	HPVX Fastener	VersiWeld and VersiFlex Membranes, Steel, Concrete, Wood	• 20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth"	• 2⅜" (Diameter)	1000
HPV-XL Plate 	HPV-XL Fastener	VersiWeld and VersiFlex Membranes, Steel	• 20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth" • Oversized Hole to Accommodate HPV-XL Fastener	• 2⅜" (Diameter)	1000
Polymer Seam Plate 	HPV Fastener	VersiGard Membrane Mechanically Attached Systems, RTS Attachment	• Round Nylon Plate with 16 Barb Profile on Underside	• 2" (Diameter)	1000
Seam Fastening Plate 	HPV Fastener MP14-10, CD-10	VersiGard Membranes Mechanically Attached Systems, (Excluding Steel Decks), RTS Attachment (Excluding Mechanically Attached Systems Over Steel Decks)	• 20 Gauge, Round Metal Plate with Aluminized Coating	• 2" (Diameter)	1000
Insulation Fastening Plate 	Insul-Tite	Insulation Only Standard Heavy-Duty CD-10 Fluted Nail, Steel, Wood, Concrete	• 26 Gauge • Round Metal Plate with Aluminized Coating	• 3"	1000
Oval Barbed Plate 	HPVX Fastener	VersiFlex and VersiFlex-E Membranes, Mechanically Attached Systems, Metal, Wood, Concrete, Steel	• 8-gauge • GALVALUME® corrosion-resistant metal barbed plate	• 1.5" x 2.75"	500

CLASSIFIED UL

FM APPROVED

©2014 Versico. Printed in U.S.A.
REPRINT REQUEST CODE: 600574 – "Fasteners & Plates Sell Sheet" – 06.25.14

Versico, VersiFlex, VersiWeld, VersiGard and the Versico logo are trademarks of Versico.
GALVALUME is a registered trademark of BIEC International, Inc.