Modern Builders Supply, Inc.
— Since 1944 —



103 W Hill St, Pleasant Hill, OH 45359

Prepared for you by Modern Builders Supply

Precise Aerial Measurement Report


Modern Builders Supply, Inc
45 Karago Ave
Youngstown, OH 44513

Modern Builders Supply Customer Service
tel.800-453-0349
email:info@modernbuilderssupply.com
http://store.modernbuilderssupply.com/

Measurements provided by eagleview™

Premium Report
9/25/2024

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628



In this 3D model, facets appear as semi-transparent to reveal overhangs.

PREPARED FOR

Contact:	Matt Keplinger
Company:	Modern Builders Supply
Address:	2627 Stanley Avenue Dayton, OH 45404
Phone:	937-222-2627

TABLE OF CONTENTS

Images 1
Length Diagram 4
Pitch Diagram 5
Area Diagram 6
Notes Diagram 7
Penetrations Diagram 8
Report Summary 9

MEASUREMENTS

Total Roof Area =6,272 sq ft
Total Roof Facets =15
Predominant Pitch =7/12
Number of Stories <=1
Total Ridges/Hips =241 ft
Total Valleys =12 ft
Total Rakes =126 ft
Total Eaves =425 ft
Total Penetrations =8
Total Penetrations Perimeter = 73 ft
Total Penetrations Area = 55 sq ft

Measurements provided by www.eagleview.com

Certified Accurate

www.eagleview.com/Guarantee.aspx

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

IMAGES

The following aerial images show different angles of this structure for your reference.

Top View




© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

IMAGES

North Side




South Side




© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

IMAGES

East Side



West Side



© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.


103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

LENGTH DIAGRAM

Total Line Lengths:
Ridges = 135 ft
Hips = 106 ft

Valleys = 12 ft
Rakes = 126 ft
Eaves = 425 ft

Flashing = 35 ft
Step flashing = 76 ft
Parapets = 0 ft



© 2024 Eagle View Technologies, Inc. All Rights Reserved.


Note: This diagram contains segment lengths (rounded to the nearest whole number) over 5.0 Feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

PITCH DIAGRAM

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 7/12




Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

AREA DIAGRAM

Total Area = 6,272 sq ft, with 15 facets.




Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

NOTES DIAGRAM

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



Note: This diagram also appears in the Property Owner Report.


© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

PENETRATIONS NOTES DIAGRAM

Penetrations are labeled from smallest to largest for easy reference.

Total Penetrations = 8
Total Penetrations Perimeter = 73 ft

Total Penetrations Area = 55 sq ft
Total Roof Area Less Penetrations = 6,217 sq ft



© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

REPORT SUMMARY

All Structures

Areas per Pitch					
Roof Pitches	3/12	4/12	5/12	6/12	7/12
Area (sq ft)	463.7	2500.4	263.9	108.6	2935.4
% of Roof	7.4%	39.9%	4.2%	1.7%	46.8%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex

Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater.
For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	**0%**	4%	7%	**9%**	11%	14%	19%	24%	29%
Area (Sq ft)	**6272**	6523	6712	**6837**	6962	7151	7464	7778	8091
Squares *	**63.00**	65.33	67.33	**68.66**	69.66	71.66	74.66	78.00	81.00
	Measured			**Suggested**					

* Squares are rounded up to the 1/3 of a square


Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.

Penetrations	1-4	5-6	7	8						
Area (sq ft)	1	7.5	16.5	19.2						
Perimeter (ft)	4	11	17	18						

Any measured penetration smaller than 3.0x3.0 Feet may need field verification. Accuracy is not guaranteed. The total penetration area is not subtracted from the total roof area.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

All Structures Totals



Total Roof Facets = 15
Total Penetrations =8

Lengths, Areas and Pitches
Ridges = 135 ft (5 Ridges)
Hips = 106 ft (6 Hips).
Valleys = 12 ft (2 Valleys)
Rakes† = 126 ft (11 Rakes)
Eaves/Starter‡ = 425 ft (18 Eaves)
Drip Edge (Eaves + Rakes) = 551 ft (29 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 35 ft (4 Lengths)
Step flashing = 76 ft (9 Lengths)
Total Penetrations Area = 55 sq ft
Total Roof Area Less Penetrations = 6,217 sq ft
Total Penetrations Perimeter = 73 ft
Predominant Pitch = 7/12
Total Area (All Pitches) = 6,272 sq ft

Property Location
Longitude = -84.3455470
Latitude = 40.0504973

Notes
This was ordered as a commercial property. There were no changes to the structure in the past four years.

Online Maps

Online map of property
http://maps.google.com/maps?f=g&source=s_q&hl=en&geocode=&q=103+W+Hill+St,Pleasant+Hill,OH,45359
Directions from Modern Builders Supply to this property
http://maps.google.com/maps?f=d&source=s_d&saddr=2627+Stanley+Avenue,Dayton,OH,45404&daddr=103+W+Hill+St,Pleasant+Hill,OH,45359

† Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Protected by European Patent Application No. 10162199.3 – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.

103 W Hill St, Pleasant Hill, OH 45359 Report: 61635628

IMPORTANT LEGAL NOTICE AND DISCLAIMER

Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.

EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.

© 2008-2024 Eagle View Technologies, Inc. and Pictometry International Corp. – All Rights Reserved – Covered by one or more of U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125; 8,825,454; 9,135,737; 8,670,961; 9,514,568; 8,818,770; 8,542,880; 9,244,589; 9,329,749; 9,599,466. Other Patents Pending.